



PubMed Nucleotide Protein Genome Structure PopSet Taxonomy OMIM Books

Search PubMed for Go Clear

Limits Preview/Index History Clipboard Details

Display Abstract Sort Save Text Add to Clipboard Order

1: Nucleic Acids Res 1996 Oct 15;24(20):4092-4093 Related Articles, Books, LinkC

FREE full text article at
nar.oupjournals.org

A new approach for the electrophoretic detection of apoptosis.

Eldadah BA, Yakovlev AG, Faden AI.

Department of Neurology and the Georgetown Institute for Cognitive and Computational Sciences, Georgetown University Medical Center, Washington, DC 20007, USA.

Apoptotic cell death is often characterized by internucleosomal cleavage of genomic DNA, which exhibits a distinctive ladder upon electrophoresis. However, technique used for the isolation and detection of DNA to demonstrate laddering may not be sufficiently sensitive, particularly when cleaved DNA is present at modest levels. We propose a new approach for isolating total cellular DNA using a silica-based resin that improves the resolution of DNA laddering. In addition, we introduce a rapid DNA labeling method that can increase the sensitivity of detecting DNA laddering. Each of these methods can be used for DNA from cell cultures or tissues.

PMID: 8918817 [PubMed - indexed for MEDLINE]

Display Abstract Sort Save Text Add to Clipboard Order

[Write to the Help Desk](#)
[NCBI](#) | [NLM](#) | [NIH](#)
[Department of Health & Human Services](#)
[Freedom of Information Act](#) | [Disclaimer](#)